


ACCENT

BUILDING MATERIALS



BUILDING STRONG PARTNERSHIPS

GENERAL CONSTRUCTION

DRYWALL/ACOUSTICAL

ROOFING

CONCRETE ACCESSORIES

SPECIALTY ITEMS & MORE

STRIKER →



Accent started in 1985 and is the largest supplier of industrial wire products in the United States with 18 locations from coast to coast.

We expanded into the building materials industry in 1999 with unprecedented growth investing in additional locations and product lines every year. Our sales professionals are seasoned individuals in the building industry who know the products and market, as well as customer needs. We understand that you can't always plan for the unexpected so we have a vast product line in stock and available. We believe that we are an extension of our customer's business – a partner – willing to go above and beyond to help our customer's succeed. Because of this, our outstanding level of service is unmatched in the industry. That's a guarantee.



Corporate Office
(877) 54-NAILS (62457)

West Coast Office
(877) 530-1911

www.accentbuild.com

Fastener and Bulk Nails Packaging

Accent makes it easy for the consumer with packaging that easily identifies the right product to buy.

- Color-coded packaging
- Thermal printed UPC code
- 1 lb., 5 lb. and more bulk cartons
- Plastic job-pack pails
- 50 lb. bulk boxes

Bulk Nail Color Chart

- General Construction** ●
- Drywall & Acoustical** ●
- Roofing** ●
- Galvanized** ●
- Speciality Items** ●



Contents

- Nails.....4
 - General Construction.....5
 - Drywall.....8
 - Roofing.....9
 - Galvanized.....12
 - Speciality.....15
- Screws.....16
 - Light Gauge Steel17
 - Coarse Thread Wood18
 - Self Drilling.....19
 - Wood Working20
 - Decking21
 - Roofing.....22
- Speciality Products.....23
 - Concrete & Rebar24
 - Acoustical Products27
 - Additional Products.....29
- Nail Size Chart.....31
- Wire Gauge Chart31



Copyright © 2011 by Accent Wire Products. All rights reserved. No part of this catalog may be reproduced in any form without permission in writing from Accent Wire Products.

This catalog is for information purposes only and should not be used for design purposes. Accent Wire Products assumes no responsibility or liability for use of information in this catalog. Not all products shown are available at every location.

Weights and counts are theoretical or approximated and are for reference purposes only.

Illustrations in this catalog are only to assist in identifying the products; they are not drawn to scale or intended to be an exact reproduction of the products.



NAILS

Bulk Nail Color Chart

- General Construction ●
- Drywall & Acoustical ●
- Roofing ●
- Galvanized ●
- Speciality Items ●



General Construction/Carpentry Nails



Common Nails

Bright Common – Smooth Shank

Flat head with smooth shank and diamond point. For general construction, framing, and other carpentry projects.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1¼"	14	7/32"	546	111-030
4d	1½"	12	¼"	296	111-040
5d	1¾"	12	¼"	194	111-050
6d	2"	11	17/64"	181	111-060
8d	2½"	10	9/32"	99	111-080
10d	3"	9	5/16"	69	111-100
12d	3¼"	9	5/16"	63	111-120
16d	3½"	8	11/32"	49	111-160
20d	4"	6	13/32"	31	111-200
30d	4½"	6	7/16"	24	111-300
40d	5"	6	15/32"	18	111-400
50d	5½"	6	1/2"	14	111-500
60d	6"	4	17/32"	11	111-600



Green Vinyl Commons

Flat countersunk head with smooth shank and diamond point. VC coating lubricates wood and holds fast in framing.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
10d	3"	9	5/16"	69	115-100
16d	3½"	8	11/32"	49	115-160
20d	4"	6	13/32"	31	115-200



Green Vinyl Sinkers

Flat countersunk head with smooth shank and diamond point. VC coating lubricates wood and holds fast in framing; thin shank reduces splitting.

Size	Nail Length	Gauge	Head Dia.	Count Per Lb.	SKU
3d	1 1/8"	15.5	11/64"	923	154-030
4d	1 3/8"	14	13/64"	527	154-040
6d	1 7/8"	13	15/64"	270	154-060
8d	2 3/8"	11.5	17/64"	150	154-080
12d	3 1/8"	10	5/16"	81	154-120
16d	3 1/4"	9	11/32"	63	154-160
20d	3 3/4"	7	3/8"	40	154-200



Bright Box

Flat head with smooth shank and diamond point. Used to construct crates and boxes and for light construction and carpentry work. Thinner shank reduces splitting, especially in Douglas fir and pine.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1 1/4"	14	7/32"	636	121-030
4d	1 1/2"	14	7/32"	474	121-040
6d	2"	12	17/64"	236	121-060
8d	2 1/2"	12	17/64"	145	121-080
10d	3"	11	9/32"	84	121-100
12d	3 1/4"	10	5/16"	78	121-120
16d	3 1/2"	10	11/32"	71	121-160
20d	4"	8	3/8"	52	121-200



Bright Joist Hanger (Truss)

Flat head with barbed shank and diamond point. For attaching truss plates and other hardware when building roof trusses and other framing construction.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/4"	11	17/64"	233	158-060
1 1/4"	9	9/32"	149	158-040
1 1/2"	11	17/64"	200	158-100
1 1/2"	10 1/4	9/32"	120	158-090
1 1/2"	9	9/32"	125	158-080



Bright Duplex

Double flat head with smooth shank and diamond point. Driven into wood to the lower head to allow easy removal from temporary structures. Used for framework, scaffolds, and other temporary structures.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
6d	2 7/64"	11.5	3/16"	154	131-060
8d	2 5/8"	10.25	15/64"	88	131-080
10d	2 3/4"	9	5/16"	59	131-100
16d	3 1/2"	8	9/32"	44	131-160



Bright Finish

Countersunk head with smooth shank and diamond point. Small cupped head allows countersinking below wood surface for later filling—giving smooth appearance to finish carpentry and trim.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1 1/4"	15.5	0.099"	887	141-030
4d	1 1/2"	15	0.1055"	629	141-040
6d	2"	13	0.135"	290	141-060
8d	2 1/2"	12.5	0.142"	194	141-080
10d	3"	11.5	0.155"	122	141-100
12d	3 3/4"	11.5	0.155"	114	141-120
16d	3 1/2"	11	0.162"	91	141-160



Bright Pole Barn – Ring Shank T.H.S.

Flat head with ringed shank and diamond point. For post frame construction and other heavy-duty applications. High carbon steel.

Size	Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
8d	2 1/2"	12	9/32"	99	157-080
16d	1 3/2"	9	5/16"	57	157-160
20d	4"	7	3/8"	35	157-200
30d	4 1/2"	7	3/8"	31	157-300
40d	5"	7	3/8"	28	157-400
60d	6"	7	3/8"	24	157-600



Fluted Masonry

Flat head with fluted shank and diamond point. For nailing lumber to concrete and masonry. Made from spring steel wire and tempered. Bright finish.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1/2"	9	11/32"	355	163-010
3/4"	9	11/32"	194	163-020
1"	9	11/32"	164	163-040
1 1/4"	9	11/32"	148	163-060
1 1/2"	9	11/32"	129	163-080
1 3/4"	9	11/32"	110	163-090
2"	9	11/32"	99	163-120
2 1/2"	9	11/32"	86	163-140
2 3/4"	9	11/32"	78	163-160
3"	9	11/32"	65	163-180
3 1/2"	9	11/32"	52	163-190



Cut Masonry

For attaching wood to masonry and fresh concrete.

Size	Nail Length	Count per Lb.	SKU
4d	1 1/2"	154	160-040
6d	2"	103	160-060
8d	2 1/2"	81	160-080
10d	3"	52	160-100



Bright Spikes

Flat head with diamond point. For joining heavy timbers such as railroad ties, landscape timbers, and log house construction.

Nail Length	Diameter	Head Dia.	Count per Lb.	SKU
8"	3/8"	3/4"	4	167-080
10"	3/8"	3/4"	3	167-100
12"	3/8"	3/4"	2	167-120



PC Drywall

Cupped head with smooth shank. For attaching drywall to wood studs. Phosphate coated to drive easily and not react with drywall compound.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 3/8"	13	5/16"	324	171-080
1 3/8"	14	1/4"	324	171-300
1 5/8"	13	5/16"	271	171-130
1 7/8"	13	5/16"	207	171-150
2 1/8"	11.5	3/8"	192	171-400
2 3/8"	11.5	3/8"	177	171-440



Electro-galvanized Smooth Plasterboard

Flat, thin head with smooth and ring shank. Diamond point. Used to install wall surfacing materials. Slightly smaller head and thinner shank than drywall nails.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/4"	13	19/64"	412	173-040
1 1/2"	13	19/64"	348	173-060



Electro-galvanized Ring Shank Plasterboard

Flat, thin head with smooth and ring shank. Diamond point. Used to install wall surfacing materials. Slightly smaller head and thinner shank than drywall nails.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/4"	13	19/64"	412	172-040
1 1/2"	13	19/64"	348	172-060



Blued Plasterboard

Flat, thin head with smooth and ring shank. Diamond point. Used to install wall surfacing materials. Slightly smaller head and thinner shank than drywall nails. Blued is a sanitized nail.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/8"	13	19/64"	440	173-180
1 1/4"	13	19/64"	412	173-170



Electro-galvanized Roofing

Large, flat head with smooth shank and diamond point. Used to fasten asphalt shingles, roof felt, and insulation board. Galvanized to resist weathering.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
1/2"	11	7/16"	528	211-020
3/4"	11	7/16"	366	211-040
7/8"	11	7/16"	323	211-060
1"	11	7/16"	285	211-080
1 1/4"	11	7/16"	233	211-100
1 1/2"	11	7/16"	200	211-120
1 3/4"	11	7/16"	171	211-140
2"	11	7/16"	149	211-160
2 1/2"	11	7/16"	122	211-180
3"	11	7/16"	103	211-200
3 1/2"	11	7/16"	89	211-220
4"	11	7/16"	78	211-400
5"	9	15/32"	63	211-500
6"	9	15/32"	54	211-600



Hot Dip Galvanized Roofing

Large, flat head with smooth shank and diamond point. Used to fasten asphalt shingles, roof felt, and insulation board. Hot dip galvanized to resist weathering.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
7/8"	11	7/16"	323	214-060
1"	11	7/16"	285	214-080
1 1/4"	11	7/16"	233	214-100
1 1/2"	11	7/16"	200	214-120
1 3/4"	11	7/16"	171	214-140
2"	11	7/16"	149	214-150
2 1/2"	11	7/16"	122	214-160
3"	11	7/16"	103	214-180



Hot Dip Galvanized Ring Shank Roofing

Large, flat head with ring shank and diamond point. Used to fasten asphalt shingles, roof felt, and insulation board. Hot dip galvanized to resist weathering.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
1 1/4"	11	7/16"	233	214-610
1 1/2"	11	7/16"	200	214-620
2 1/2"	11	7/16"	122	214-680
3"	11	7/16"	103	214-700



Ring Shank Stainless Steel Roofing

Large, flat head with ring shank and diamond point. Used to fasten asphalt shingles, roof felt, and insulation board.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
1 1/4"	11	7/16"	233	215-040



Electro-galvanized Ring Neoprene Roofing

Ring shank with neoprene washers underneath nail head. Used to attach corrugated metal and fiberglass roofing sheets. Galvanized to resist weathering.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
1 3/4"	10	3/8"	125	227-040
2 1/2"	10	3/8"	101	227-120
3"	10	3/8"	84	227-160



Electro-galvanized Plastic Caps

Ring shank with round plastic cap. Used to attach felt paper and foam sheeting to buildings.

BOXES

Nail Length	Gauge	Head Dia.	Nails per Lb.	Lbs. per Box	SKU
3/4"	12	1"	266	7	220-020
7/8"	12	1"	275	8	221-040
1"	12	1"	250	8	221-060
1 1/4"	12	1"	212	8	221-080
1 1/2"	12	1"	185	11	221-100
1 3/4"	12	1"	168	13	221-120
2"	12	1"	153	15	221-140

PAILS

Nail Length	Gauge	Head Dia.	Nails per Lb.	Pieces/Pail	SKU
3/4"	12	1"	266	3M	220-022
7/8"	12	1"	275	3M	221-042
1"	12	1"	250	3M	221-062
1 1/4"	12	1"	212	3M	221-082
1 1/2"	12	1"	185	2M	221-101
1 3/4"	12	1"	168	2M	221-121
2"	12	1"	153	2M	221-141



Lead Head

For attaching metal roofing.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 3/4"	10	3/8"	83	153-220
2 1/2"	10	3/8"	83	153-240



Round Metal Ring Shank Cap

Ring shank with round metal head. Used to attach roofing felt, insulation board, and polyfilm sheeting to buildings.

Electro-galvanized

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
3/4"	12	1"	117	223-030
7/8"	12	1"	112	223-040
1"	12	1"	107	223-060
1 1/4"	12	1"	100	223-080
1 1/2"	12	1"	84	223-050
1 3/4"	12	1"	79	223-070
2"	12	1"	74	223-100
2 1/2"	11	1"	67	223-090
3"	11	1"	60	223-130
4"	9	1"	37	223-140
5"	8	1"	27	223-150
6"	8	1"	24	223-160



Hot Dip Galvanized

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
1"	12	1"	107	224-060
1 1/4"	12	1"	100	224-080
1 1/2"	12	1"	84	224-050



Tin Caps

Used to add extra protection and stability in conjunction with roofing nails to secure shingles and felt paper.

Size	SKU
1 5/8"	228-040
2"	228-080
2 1/2"	228-160
2 3/4"	228-180
3"	228-190



High Wire Coil Roofing

For use with pneumatic roofing guns. Large flat head with smooth shank and diamond point. Used to fasten asphalt shingles, roof felt paper and insulation board. Galvanized to resist weathering.

To fit: Airo CN-134, Hitachi NV 45AB, Makita AN451, Bostitch N12-B, RN45, Porter Cable RN175, Fasco CN15W, Senco SCN200R, Palode PY-134

Electro-galvanized

Nail Length	Gauge	Head Dia.	Count per Ctn.	Count per Lb.	SKU
3/4"	11	3/8"	7.2M	21	212-009
7/8"	11	3/8"	7.2M	23	212-010
1"	11	3/8"	7.2M	26	212-020
1 1/4"	11	3/8"	7.2M	34	212-040
1 1/2"	11	3/8"	7.2M	37	212-060
1 3/4"	11	3/8"	7.2M	43	212-080

Hot Dip Galvanized Ring Shank

Nail Length	Gauge	Head Dia.	Count per Ctn.	Count per Lb.	SKU
1 1/4"	11	3/8"	7.2M	34	213-040
1 1/2"	11	3/8"	7.2M	37	213-060

Stainless Steel Ring Shank

Nail Length	Gauge	Head Dia.	Count per Ctn.	Count per Lb.	SKU
1 1/4"	11	3/8"	7.2M	34	213-100
1 1/2"	11	3/8"	7.2M	37	213-120



Fine Wire Staples

Used to attach tin caps and hang insulation.

Staple Length	Boxes per Carton	Quantity per Box	SKU
A11 3/8" x 3/8"	20	5M	226-010
A11 1/2" x 3/8"	20	5M	226-012
A19 1/4" x 3/8"	50	5M	226-020



Electro-galvanized Tile Nail

For use with clay roofing tile.

Nail Length	Gauge	Head Dia.	Nails per Lb.	SKU
3"	9	15/32"	62	232-030
4"	9	15/32"	50	232-050
5"	9	15/32"	38	232-070
5 1/2"	9	15/32"	36	232-080
6"	9	15/32"	32	232-100



Wide Crown Roofing Staples

Applications include lath, insulation board, sheeting and roofing.

Made to fit Paslode

Leg	Gauge	Crown	Quantity per Box	OEM #
3/4"	16	15/16"	10M	GSW 1634
7/8"	16	15/16"	10M	GSW 1678
1"	16	15/16"	10M	GSW 161
1 1/4"	16	15/16"	10M	GSW 16114
1 1/2"	16	15/16"	10M	GSW 16112
1 3/4"	16	15/16"	10M	GSW 16139
2"	16	15/16"	10M	GSW 162

Made to fit Senco

Leg	Gauge	Crown	Quantity per Box	OEM #
3/4"	16	1"	10M	P11
7/8"	16	1"	10M	P12
1"	16	1"	10M	P13
1 1/4"	16	1"	10M	P15
1 1/2"	16	1"	10M	P17

Made to fit Bostitch

Leg	Gauge	Crown	Quantity per box	OEM#
7/8"	16	1"	10M	BCS 1098
1"	16	1"	10M	BCS 1099
1 1/4"	16	1"	10M	BCS1101
1 1/2"	16	1"	10M	BCS1102

Galvanized Nails



Common Nails

Flat head with smooth shank and diamond point. For general construction, framing, and other carpentry projects.

Electro-galvanized Common

Electro-plated with zinc to resist weathering.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1¼"	14	7/32"	546	112-030
4d	1½"	12	¼"	296	112-040
5d	1¾"	12	¼"	194	112-050
6d	2"	11	17/64"	181	112-060
8d	2½"	10	9/32"	99	112-080
10d	3"	9	5/16"	69	112-100
12d	3¼"	9	5/16"	63	112-120
16d	3½"	8	11/32"	49	112-160
20d	4"	6	13/32"	31	112-200



Hot Dip Galvanized Common

Passed through a hot galvanizing line for a superior galvanized finish. For use with ACQ lumber.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1¼"	14	7/32"	546	114-030
4d	1½"	12	¼"	296	114-040
5d	1¾"	12	¼"	194	114-050
6d	2"	11	17/64"	181	114-060
8d	2½"	10	9/32"	99	114-080
10d	3"	9	5/16"	69	114-100
12d	3¼"	9	5/16"	63	114-120
16d	3½"	8	11/32"	49	114-160
20d	4"	6	13/32"	31	114-200
30d	4½"	6	7/16"	24	114-300
40d	5"	6	15/32"	18	114-400
60d	6"	4	17/32"	11	114-600



Electro-galvanized Common Ring Shank

Electro-plated with zinc to resist weathering.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
6d	2"	11	17/64"	181	113-060
8d	2½"	10	9/32"	99	113-080
12d	3¼"	9	5/16"	63	113-120
16d	3½"	8	11/32"	49	113-160



Landscape Timber Ties

Passed through a hot galvanized line for a superior galvanized finish. For use with ACQ lumber.

Nail Length	Diameter	Head Dia.	Count per Lb.	SKU
6"	1/4"	1/2"	14	167-200



Hot Dip Galvanized Spikes

Flat head with diamond point. For joining heavy timbers such as railroad ties, landscape timbers, and log house construction. For use with ACQ lumber.

Nail Length	Diameter	Head Dia.	Count per Lb.	SKU
8"	3/8"	3/4"	4	167-280
10"	3/8"	3/4"	3	167-300
12"	3/8"	3/4"	2	167-320



Electro-galvanized Gutter Spikes

Flat head with diamond point. For attaching galvanized and aluminum gutters.

Nail Length	Diameter	Head Dia.	Count per Lb.	SKU
7"	3/16"	7/16"	16	167-770



Hot Dip Galvanized Ring Shank Pole Barn

Flat head with ringed shank and diamond point. For exterior post frame construction. High carbon steel. For use with ACQ lumber.

Nail Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
30d	4½"	7	¾"	31	161-300
40d	5"	7	¾"	28	156-400



Hot Dip Galvanized Ring Shank PTL Deck Nail

Ring shank with flat head. For pressure treated lumber. Passed through a hot galvanized line for a superior galvanized finish. For use with ACQ lumber.

Nail Size	Gauge	Head Dia.	Count per Lb.	SKU
6d	11	9/32"	140	161-060
8d	11	9/32"	107	161-080
10d	10	9/32"	81	161-100
12d	10	9/32"	78	161-120
16d	10	5/16"	71	161-160
20d	9	3/8"	55	161-200
30d	7	3/8"	31	161-300
40d	7	3/8"	28	161-400
60d	7	3/8"	24	161-600



Hot Dip Galvanized Spiral PTL Deck Nail

Nail Size	Gauge	Head Dia.	Count per Lb.	SKU
6d	11	9/32"	140	162-060
8d	11	9/32"	107	162-080
10d	10	9/32"	81	162-100
12d	10	9/32"	78	162-120
16d	10	5/16"	71	162-160
20d	9	3/8"	55	162-200
60d	7	3/8"	24	162-600

Box Nails

Flat head with smooth shank and diamond point. Used to construct crates and boxes and for light construction and carpentry work. Thinner shank reduces splitting, especially in Douglas fir and pine.



Electro-galvanized Box

Electro-plated with zinc to resist weathering.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1¼"	14	7/32"	636	122-030
4d	1½"	14	7/32"	474	122-040
5d	1¾"	13	15/64"	407	122-050
6d	2"	12	17/64"	236	122-060
7d	2¼"	12	17/64"	210	122-070
8d	2½"	12	17/64"	145	122-080
10d	3"	11	9/32"	84	122-100
12d	3¼"	10	5/16"	78	122-120
16d	3½"	10	5/16"	71	122-160
20d	4"	8	3/8"	52	122-200
30d	4½"	9	3/8"	46	122-300



Hot Dip Galvanized Box

Passed through a hot galvanized line for a superior galvanized finish. For use with ACQ lumber.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1¼"	14	7/32"	636	124-030
4d	1½"	14	7/32"	474	124-040
5d	1¾"	13	15/64"	407	124-050
6d	2"	12	17/64"	236	124-060
7d	2¼"	12	17/64"	210	124-070
8d	2½"	12	17/64"	145	124-080
10d	3"	11	9/32"	84	124-100
12d	3¼"	10	5/16"	78	124-120
16d	3½"	10	5/16"	71	124-160
20d	4"	8	3/8"	52	124-200



Fence Staples

Electro-galvanized Staple

Smooth shank with slash points. For securing wire fence to wooden posts.

Staple Length	Gauge	Count per Lb.	SKU
3/4"	14	143	234-020
1"	9	101	234-040
1 1/4"	9	88	234-060
1 1/2"	9	49	234-080
1 3/4"	9	60	234-100



Hot Dip Galvanized Staple

Passed through a hot galvanizing line for a superior galvanized finish. For use with ACQ lumber.

Staple Length	Gauge	Count per Lb.	SKU
2 1/2"	6	43	234-140



Finish Nails

Countersunk head with smooth shank and diamond point. Small cupped head allows countersinking below wood surface for later filling – giving smooth appearance to finish carpentry and trim.

Electro-galvanized Finish

Electro-plated with zinc to resist weathering.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1 1/4"	15.5	0.099"	887	142-030
6d	2"	13	0.135"	290	142-060
8d	2 1/2"	12.5	0.142"	194	142-080

Hot Dip Galvanized Finish

Passed through a hot galvanizing line for a superior galvanized finish. For use with ACQ lumber.

Size	Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
3d	1 1/4"	15.5	0.099"	887	140-030
4d	1 1/2"	15	0.1055"	629	140-040
6d	2"	13	0.135"	290	140-060
8d	2 1/2"	12.5	0.142"	194	140-080
10d	3"	11.5	0.155"	122	140-100
12d	3 1/4"	11.5	0.155"	113	140-120
16d	3 1/2"	11	0.162"	91	140-160



Casing Nails

Deep countersunk head with smooth shank and diamond point. Used for finish work, including door jambs, moulding, and casing.

Electro-galvanized Casing

Electro-plated with zinc to resist weathering.

Size	Nail Length	Gauge	Nails per Lb.	SKU
6d	2"	12.5	245	147-060
8d	2 1/2"	11.5	146	147-080
16d	3 1/2"	10	77	147-160

Hot Dip Galvanized Casing

Passed through a hot galvanizing line for a superior galvanized finish. For use with ACQ lumber.

Size	Nail Length	Gauge	Nails per Lb.	SKU
6d	2"	12.5	245	148-060
8d	2 1/2"	11.5	146	148-080
16d	3 1/2"	10	77	148-160



Joist Hanger (Truss) Nails

Flat head with barbed shank and diamond point. For attaching truss plates and other hardware when building roof trusses and other framing construction.

Electro-galvanized Joist Hanger (Truss)

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/4"	11	17/64"	233	158-050
1 1/4"	9	9/32"	149	158-270
1 1/2"	11	17/64"	200	158-030
1 1/2"	9	9/32"	125	158-280

Hot Dip Galvanized Joist Hanger (Truss)

For use with ACQ lumber.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1 1/4"	11	17/64"	233	158-460
1 1/4"	9	9/32"	149	158-440
1 1/2"	11	17/64"	200	158-500
1 1/2"	9	9/32"	125	158-480



Mechanical-galvanized Cut Masonry

Four-sided nail with square point. For joining ACQ lumber to concrete subflooring. Square point prevents splitting of hardwood boards.

Size	Nail Length	Count per Lb.	SKU
8d	2½"	81	159-080



Electro-galvanized Fine

For use in shake shingles and Chamfer.

Nail Size	Gauge	Head Dia.	Count per Lb.	SKU
3d	15.5	1½" / 64"	783	153-900



Bright Underlayment

Flat head with ringed shank and diamond point. For laying plywood or composition subflooring over existing wood floors or floor joists. Ringed shank increases holding power. Also known as sub-flooring nails.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1¼"	12.5	¼"	351	156-020
1⅝"	12.5	¼"	269	156-060
1⅞"	12	¼"	218	156-100



Furring Nail with 3/8" WAD

Flat head with smooth shank and diamond point. Electro-galvanized. For stucco applications.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1½"	12	3/8"	150	331-180
1¾"	12	3/8"	150	331-160
1¾"	11	3/8"	105	331-165



Electro-galvanized Tension Pins

Tension temper-hardened fasteners used to attach furring strips, clips and hangers to masonry.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
1⅞"	14	3/16"	516	153-100

Furring Nail no WAD

Flat head with smooth shank and diamond point. Electro-galvanized. For stucco applications.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
½"	12	3/8"	250	331-170
1½"	11	3/8"	195	331-175



Electro-galvanized Concrete Stub

Large flat head with smooth shank. Temper hardened steel. For attaching electrical fixtures and conduits, metal lath and other fixtures to non-load bearing concrete.

Nail Length	Gauge	Head Dia.	Count per Lb.	SKU
½"	9	3/8"	378	151-040



Collated Strip Nails

Accent provides framing nails to fit all major brands:

Senco	Paslode	Bostitch
Duo Fast	Hitachi	Porter Cable
DeWALT		



SCREWS

Bulk Screw Packaging

- Light Gauge Steel Laminating & Acoustical 
- Coarse Gauge Wood Screws 
- Self Drilling Screws 
- Wood Working Screws 
- Decking Screws 
- Roofing Screws 



Light Gauge Steel Screws: Laminating & Acoustical



Fine Thread

For attaching drywall to metal (20-25 gauge) studs. May also be used to attach particle board, plywood or other soft woods. Also known as "all purpose" or "multi-purpose" screws.

Size	Count per Box	Lbs. per Box	Drive Size	SKU
6 x 1"	10M	32	#2 Phillips	601-040
6 x 1 $\frac{1}{8}$ "	10M	35	#2 Phillips	601-060
6 x 1 $\frac{1}{4}$ "	8M	30	#2 Phillips	601-080
6 x 1 $\frac{5}{8}$ "	5M	24	#2 Phillips	601-120
6 x 2"	3.5M	19	#2 Phillips	601-140
6 x 2 $\frac{1}{4}$ "	3M	19	#2 Phillips	601-160
8 x 2 $\frac{1}{2}$ "	2.5M	25	#2 Phillips	601-200
8 x 3"	2M	22	#2 Phillips	601-220
10 x 3 $\frac{1}{2}$ "	1M	19	#2 Phillips	601-240
10 x 4"	1M	21	#2 Phillips	601-280



Pan Head Framing Sharp

For attaching light gauge steel studs to track (up to 20 gauge).


Size	Count per Box	Lbs. per Box	Drive Size	SKU
7 x $\frac{7}{16}$ "	10M	23	#2 Phillips	608-040



Trim Head

For attaching wood trim to metal studs.


Size	Count per Box	Lbs. per Box	Drive Size	SKU
6 x 1 $\frac{5}{8}$ "	5M	20	#1 Sq Drive	608-520
6 x 2 $\frac{1}{4}$ "	3M	17	#1 Sq Drive	608-540
8 x 3"	2M	23	#1 Sq Drive	608-560



Modified Truss Sharp

For attaching metal lath and stucco mesh to steel studs (20-25 gauge).


Size	Count per Box	Lbs. per Box	SKU
8 x $\frac{1}{2}$ "	10M	35	616-020
8 x $\frac{3}{4}$ "	10M	40	616-040
8 x 1"	8M	44	616-080
8 x 1 $\frac{1}{4}$ "	6M	39	616-100
8 x 1 $\frac{5}{8}$ "	5M	30	616-120
8 x 1 $\frac{7}{8}$ "	2.5M	28	616-110
8 x 2"	2.5M	28	616-130
8 x 2 $\frac{1}{2}$ "	2M	24	616-140



Laminator – Bugle - Phillips

Attaches gypsum to gypsum. A temporary fastener.


Size	Count per Box	Lbs. per Box	SKU
10" x 1½"	5M	36	604-100



Eyelag

Hanging suspended ceiling to wood joist.

Size	Count per Box	Lbs. per Box	SKU
¼" x 3"	1M	25	600-080
¼" x 4"	1M	25	600-100




Self-Drill Eyelag

Hanging suspended ceiling to metal joist.

Size	Count per Box	Lbs. per Box	SKU
¼" x ¾"	1M	25	600-090
¼" x 1¾"	1M	25	600-095

Coarse Thread – Bugle – Phillips



Coarse Thread – Bugle – Phillips

For attaching wood to wood, drywall to wood, and interior wooden deck. Original and primary application of drywall to wood studs. Also used in many interior wood and fixture fastening applications.

Size	Count per Box	Lbs. per Box	Drive Size	SKU
6 x 1"	10M	30	#2 Phillips	602-020
6 x 1⅛"	10M	34	#2 Phillips	602-040
6 x 1¼"	8M	30	#2 Phillips	602-060
6 x 1⅝"	5M	23	#2 Phillips	602-100
6 x 2"	3.5M	20	#2 Phillips	602-140
8 x 2½"	2.5M	22	#2 Phillips	602-200
8 x 3"	2M	24	#2 Phillips	602-220
10 x 3½"	1M	23	#2 Phillips	602-240
10 x 4"	1M	24	#2 Phillips	602-250
10 x 5"	1M	27	#2 Phillips	602-260



Self Drill Zinc Drywall

For attaching drywall to metal (14-20 gauge) studs. Also used to attach plywood particle board and metal lath to metal.

Size	Count per Box	Lbs. per Box	SKU
6 x 1"	10M	29	610-040
6 x 1 $\frac{1}{8}$ "	10M	35	610-060
6 x 1 $\frac{1}{4}$ "	8M	29	610-080
6 x 1 $\frac{5}{8}$ "	5M	23	610-120
6 x 1 $\frac{7}{8}$ "	4M	20	610-160
8 x 2 $\frac{3}{8}$ "	2.5M	23	610-320
8 x 2 $\frac{5}{8}$ "	1.6M	16	610-350
8 x 3"	1.4M	16	610-380



Bugle Head Self Drill

Phillips – Phosphate Coated

For attaching gypsum board to metal (14-20 gauge).

Size	Count per Box	Lbs. per Box	SKU
6 x 1 $\frac{1}{8}$ "	10M	35	610-050
6 x 1 $\frac{1}{4}$ "	8M	29	610-090
6 x 1 $\frac{5}{8}$ "	5M	23	610-130
6 x 1 $\frac{7}{8}$ "	4M	20	610-170
8 x 2 $\frac{3}{8}$ "	2.5M	23	610-330
8 x 2 $\frac{5}{8}$ "	1.6M	16	610-340
8 x 3"	1.4M	16	610-390



Pan Head Self Drill

Phillips - Zinc

For metal to metal application.

Size	Count per Box	Lbs. per Box	SKU
8 x $\frac{1}{2}$ "	10M	28	609-020
8 x $\frac{3}{4}$ "	10M	37	609-040
10 x $\frac{1}{2}$ "	8.5M	33	609-100
10 x $\frac{5}{8}$ "	7.5M	36	609-110
10 x $\frac{3}{4}$ "	6.5M	36	609-120



Pan Head Framing Self Drill

Black & Zinc

For light (up to 20 gauge) metal to metal application.

Size	Count per Box	Lbs. per Box	Drive Size	SKU
7 x $\frac{7}{16}$ " zinc	10M	26	#2 Phillips	608-080
7 x $\frac{7}{16}$ " black	10M	26	#2 Phillips	608-090




Pancake Framing Self Drill

Phillips – Zinc

For metal to metal application.

Size	Count per Box	Lbs. per Box	Drive Size	SKU
10 x $\frac{5}{8}$ "	7.5M	36	#2 Phillips	607-500



Modified Truss Self Drill

Phillips – Zinc

For attaching metal lath to heavy (12-20 gauge) metal studs.

Size	Count per Box	Lbs. per Box	SKU
8 x $\frac{1}{2}$ "	10M	35	613-020
8 x $\frac{3}{4}$ "	10M	44	613-040
8 x 1"	5M	44	613-080
8 x 1 $\frac{1}{4}$ "	5M	38	613-100
8 x 1 $\frac{5}{8}$ "	4M	30	613-110
8 x 1 $\frac{7}{8}$ "	3M	28	613-130




Hex-Head Washer Self Drill

Zinc

For metal to metal applications for heavy gauge steel.

Size	Count per Box	Lbs. per Box	SKU
8 x $\frac{1}{2}$ "	10M	34	615-200
10 x $\frac{3}{4}$ "	6.5M	42	615-300
10 x 1"	5M	38	615-310
12 x $\frac{3}{4}$ "	5M	45	615-400
14 x $\frac{3}{4}$ "	4M	53	615-500



Yellow Zinc Screws

For attaching wood, plywood, lumber, OSB, particle board, and other building materials.

Size	Count per Box	Lbs. per Box	Drive Size	SKU
6 x 1"	10M	32	#2 Phillips	620-030
6 x 1 1/8"	10M	34	#2 Phillips	620-040
6 x 1 1/4"	8M	30	#2 Phillips	620-050
6 x 1 5/8"	5M	23	#2 Phillips	620-080
6 x 2"	3.5M	20	#2 Phillips	620-110
8 x 2 1/2"	2.5M	24	#2 Phillips	620-150
8 x 3"	2M	23	#2 Phillips	620-180
10 x 3 1/2"	1M	19	#2 Phillips	620-210
10 x 4"	1M	21	#2 Phillips	620-240
10 x 4 1/2"	0.500M	18	#2 Phillips	620-230
10 x 5"	0.750M	20	#2 Phillips	620-250
10 x 6"	0.500M	16	#2 Phillips	620-260



Cement Board Sharp

Wafer head designed for use with cement board and high density exterior sheathing.

Size	Count per Box	Lbs. per Box	SKU
8 x 1 1/4"	5M	48	600-040
8 x 1 5/8"	5M	48	600-090




Cement Board Self-Drill

Wafer head designed for use with cement board and high density exterior sheathing with self-drill tip.

Size	Count per Box	Lbs. per Box	SKU
8 x 1 1/4" Cement Board Wafer S/D Ceramic	5M	48	600-060
8 x 1 5/8" Cement Board Wafer S/D Ceramic	5M	48	600-050
8 x 2 1/4" Cement Board Wafer S/D Fine Ceramic	2.5M	48	600-140


Exterior Decking Screws



Decking Screws – Dacro Decking Coarse Thread – Silver

For exterior use including decks, railings and other outdoor projects. Minimal rust. Corrosion resistant.


Size	Count per Box	Lbs. per Box	SKU
6 x 1 1/4"	8M	30	624-080
6 x 1 5/8"	5M	23	624-100
6 x 2"	3.5M	20	624-120
8 x 2 1/2"	2.5M	24	624-160
8 x 3"	2M	23	624-200
10 x 3 1/2"	1M	19	624-240
10 x 4"	1M	21	624-250
10 x 5"	0.75M	20	624-270
10 x 6"	0.5M	16	624-280



Decking Screws – Ceramic Coated Combo Drive, Bugle Head, Coarse Thread

For exterior use including decks, railings and other projects where rust resistance is important.


Size	Count Per Box	POINT	Lbs. per Box	SKU
6 x 1 1/4"	8M	30	30	622-120
6 x 1 5/8"	5M	23	23	622-140
6 x 2"	3.5M	20	20	622-160
8 x 2 1/2"	2.5M	24	24	622-180
8 x 3"	2M	23	23	622-200
10 x 3 1/2"	1M	19	19	622-220
10 x 4"	.7M	14	14	622-240



Premium Ceramic – Coated Decking Type 17 Point, Combo Drive

Long life ceramic coating and heavy gauge for tough jobs. Virtually eliminates need for pre-drilling. Positive drives every time. Counter-sunk head with nibs for a clean finish. For exterior use including decks, railings and other projects where rust resistance is important.

Size	Count per Box	Lbs. per Box	SKU
8 x 1 1/4"	8M	38	622-300
8 x 1 5/8"	5M	31	622-310
8 x 2"	3.5M	27	622-320
9 x 2 1/2"	2.5M	28	622-400
9 x 3"	2M	27	622-410
10 x 3 1/2"	1M	17	622-500
10 x 4"	.7M	14	622-510



Premium Ceramic – Star Drive Dual Coarse Thread, Gold, Type 17 Point

1000 Hour Long Life Ceramic Coating and heavy gauge for tough jobs. Dual thread design to greatly reduce splitting. Positive drives every time. Virtually eliminates need for pre-drilling. Counter-sunk head with nibs for a clean finish. For exterior use including decks, railings and other projects where rust resistance is important.

Size	Count Per Box	Lbs. per Box	SKU
8 x 1 1/4"	5M	23	680-100
8 x 1 5/8"	4M	24	680-120
9 x 2"	3M	28	680-140
9 x 2 1/2"	2.5M	27	680-160
9 x 3"	2M	27	680-180
10 x 3 1/2"	1M	19	680-200
10 x 4"	1M	21	680-220



Hex-Head with Neoprene Bonded Washer

For attaching metal roofing to steel.

Self Drilling – Zinc

Size	Count per Box	Lbs. per Box	SKU
10 x 3/4"	5M	38	614-230
10 x 1"	5M	38	614-210
10 x 1 1/2"	3M	30	614-250
12 x 1"	3M	32	614-320
12 x 1 1/4"	2M	29	614-330
12 x 1 1/2"	2M	32	614-340
14 x 1"	3M	44	614-420
14 x 1 1/4"	2M	34	614-430
14 x 1 1/2"	2M	40	614-440
14 x 2"	1M	25	614-450



Sharp point – Wood Tite

For attaching metal roofing to wood.

Size	Count per Box	Lbs. per Box	SKU
9 x 1"	2.5M	18	614-600
9 x 1 1/2"	2.5M	24	614-610
9 x 2"	2M	22	614-620
9 x 2"	1M	21	614-630



Type 17 point – Wood Fast

Hi-Lo Thread

For attaching metal roofing to wood.

Size	Count per Box	Lbs. per Box	SKU
10 x 1"	2.5M	19	615-600
10 x 1 1/2"	2.5M	25	615-610
10 x 2"	2M	23	615-620
10 x 2 1/2"	1M	22	615-630



Specialty Products

Specialty Products

Concrete and Rebar Accessories ●

Acoustical Products ●

Additional Products ●



Concrete and Rebar Accessories

STRIKER



Anchor Bolts

Designed to fasten frames to the foundation of structures.

Size	Count per Ctn/ Bag	Lbs. per Box/ Bag	Washer size/type	SKU
1/2" x 6" plain	50	18	Round	311-120
1/2" x 8" plain	50	22	Round	311-140
1/2" x 10" plain	50	26	Round	311-160
1/2" x 12" plain	50	31	Round	311-180
1/2" x 6" HDG	50	18	Round	311-121
1/2" x 8" HDG	50	22	Round	311-141
1/2" x 10" HDG	50	26	Round	311-161
1/2" x 12" HDG	50	31	Round	311-181
5/8" x 10" plain	50	43	None	312-160
5/8" x 12" plain	50	51	None	312-180
5/8" x 14" plain	50	57	None	312-200
5/8" x 8" HDG	25	25	Square 2"x2"	313-140
5/8" x 10" HDG	25	28	Square 2"x2"	313-160
5/8" x 10" HDG	25	29	Square 3"x3"	313-161
5/8" x 12" HDG	25	31	Square 2"x2"	313-181
3/4" x 10" plain	50	66	None	313-260
3/4" x 12" plain	50	76	None	313-280



Tie Wire

For attaching rebar to rebar.

Size	Ft. per Roll	Type	SKU
3.5 lb x 16 ga	330	Black annealed	346-150
3.5 lb x 16 1/2 ga	390	Black annealed	346-160
3.5 lb x 16 ga	330	Galvanized	346-151
3.5 lb x 16 ga	330	Epoxy coated	346-180
3.5 lb x 16 ga	330	304 Stainless steel	346-190



Rebar

Size	Piece/Bundle	SKU
3/8" (#3)	266	370-003
1/2" (#4)	150	370-004
5/8" (#5)	96	370-005
3/4" (#6)	68	370-006

* Grade 40, Grade 60 and No Grade available in 20 ft. and 40 ft.



Bar Ties

Eye hooks allow for quick and secure installation by hand or with available Twister Tool. Black-annealed wire, epoxy and galvanized.

17 Gauge

Size	Count per Roll	Lbs. per Roll	SKU
4"	5M	21½	341-050
4½"	5M	23	341-060
5"	5M	24½	341-070
5½"	5M	26	341-080
6"	5M	27½	341-090
6½"	5M	29	341-100
7"	5M	30½	341-110
7½"	5M	32	341-120
8"	5M	33½	341-130
9"	5M	36½	341-150
10"	5M	39½	341-170
12"	5M	45½	341-210

Available in 100 and 1,000 piece quantities.

16 Gauge

Size	Count per Roll	Lbs. per Roll	SKU
4"	5M	30	340-051
4½"	5M	32	341-061
5"	5M	34	341-071
5½"	5M	36	341-081
6"	5M	38	341-091
6½"	5M	41	341-101
7"	5M	43	341-111
7½"	5M	45	341-121
8"	5M	47	341-131

Available in 100 and 1,000 piece quantities.



Twister Tool

Used for quick installation of bar ties.

SKU 341-500



Tie Wire Reel

SKU 346-200



Wire Mesh Rolls

For use in reinforcing concrete.

Gauge	Mesh size	Roll size	SKU
6	6x6	5' x 150'	100 -106
10	6x6	5' x 150'	100 -110



Wire Mesh Sheets

For use in reinforcing concrete.

Gauge	Mesh size	Roll size	SKU
6	6x6	8' x 20'	100 -006
10	6x6	8' x 20'	100 -010



Round Steel Stakes with Holes

10 stakes per master pack. Used in concrete forming, staking tents, garden timber stakes, railroad or garden timber tie, tree stake and survey stakes. Machine-point end allows stake to be driven fast and easy into clay, rock or compacted soils.

Size	SKU
3/4" x 12"	310-012
3/4" x 18"	310-018
3/4" x 24"	310-024
3/4" x 30"	310-030
3/4" x 36"	310-036
3/4" x 42"	310-042
3/4" x 48"	310-048



Round Steel Dowels

Used to hold concrete curbs in place and as a reinforcing joint.

Size	SKU
1/2" x 18"	310-103
1/2" x 24"	310-104
3/4" x 24"	310-110



Plastic Rod Chairs

Supports rebar at correct distance from concrete forms.

Size	Count per Roll	Lbs. per Roll	SKU
2 1/4"	500	15	361-200
3 1/4"	500	17	361-230



Wall Ties

Anchors brick wall to supporting wood or brick wall structure.

Size	Count per Ctn.	Lbs. per Ctn.	SKU
22 Gauge	500	26	321-310



Mud Sill Anchors

Easy to position in block or masonry foundation walls. Nails directly to mud sill or wall stud.

Count Per Ctn.	Lbs. per Ctn.	SKU
50	50	315-309



Galvanized Hanger Wire
Straight & Cut – 50# Bundles

Size	Count/50# Bundle	SKU
12 ga x 6'	266	483-060
12 ga x 8'	200	483-080
12 ga x 12'	133	483-120
12 ga x 14'	114	483-140
12 ga x 16'	100	483-160
12 ga x 20'	80	483-200
9 ga x 12'	67	481-120
9 ga x 20'	40	481-200
8 ga x 12'	59	481-121
8 ga x 20'	35	481-201

Straight & Cut – 20 bundles per log

Size	Bundle Qty.	Log Qty. (bundles)	SKU
12 ga x 4'	100	20	485-040
12 ga x 6'	100	20	485-060
12 ga x 8'	100	20	485-080
12 ga x 10'	100	20	485-100
12 ga x 12'	100	20	485-120
12 ga x 14'	100	20	485-140
12 ga x 16'	100	20	485-160
12 ga x 18'	100	20	485-180
12 ga x 20'	100	20	485-200
12 ga x 22'*	100	20	485-220
12 ga x 24'*	100	20	485-240
12 ga x 30'*	100	20	485-300

* special order by the bundle

Straight & Cut - By the Bundle

Size	Bundle Qty.	SKU
8 ga x 6'	100	478-060
8 ga x 8'	100	478-080
8 ga x 10'	100	478-100
8 ga x 12'	100	478-120
8 ga x 20'	100	478-200
9 ga x 8'	100	486-080
9 ga x 10'	100	486-100
9 ga x 12'	100	486-120
9 ga x 20'	100	486-200



Galvanized Hanger Wire
Pre-tied with 1/4" pin & clip


Size	Bundle Qty.	SKU
12 ga x 4'	100	480-040
12 ga x 6'	100	480-060
12 ga x 8'	100	480-080
12 ga x 10'	100	480-110
12 ga x 12'	100	480-120
12 ga x 14'*	100	480-140
12 ga x 16'*	100	480-160
12 ga x 18'*	100	480-180
12 ga x 20'*	100	480-200

* special order by the bundle



Acoustical Tie Wire (Galvanized U-Hank)

Length	Gauge	Weight	SKU
28"	18	25	490-010
28"	16	25	490-011
45"	18	25	490-012
45"	16	25	490-013



We stock standard clip and pin, standard 90° clip, heavy-duty 90° clip, 135° clip, and seismic plates. Call us for a quote.



Lag Poles

Use to install ceiling wire, jack chains, threaded rod, smooth rod, and overhead screws.

Type	Size	SKU
LM6	Double 3'	590-060
LM12	Double 6'	590-120
LM18	Triple 6'	590-180
LM24	Triple 8'	590-240



Gun Poles

Size	Type	SKU
6'	Pole tool	591-060
8'	Pole tool	591-080



Power Actuated Loads

.27 Caliber Long Strip Loads – 10 shots/strip

Type	Color	Pieces	SKU
.27 cal.	Purple	100	596-100
.27 cal.	Red	100	596-110
.27 cal.	Yellow	100	596-120
.27 cal.	Green	100	596-130



.22 Caliber Single Shot Loads

Type	Color	Pieces	SKU
.22 Neck Down	Red	100	596-300
.22 Neck Down	Yellow	100	596-310
.22 Neck Down	Green	100	596-320
.22 Neck Down	Brown	100	596-330
.22 Neck Down	Gray	100	596-340
.22 cal. Straight Wall	Purple	100	596-350

.25 Caliber Short Strip Loads – 10 shots/strip

Type	Color	Pieces	SKU
.25 cal.	Red	100	596-200
.25 cal.	Yellow	100	596-210
.25 cal.	Green	100	596-220

Strapping
Oscillated Wound Steel Strapping
RD Steel



Size	SKU
3/8" x 020	S202
1/2" x 020	S205
1/2" x 023	S206
5/8" x 020	S208
5/8" x 023	S209
3/4" x 020	S212
3/4" x 023	S214

Oscillated Wound Steel Strapping
Hi-Tensile Steel

Size	SKU
3/4" x 025	S416
3/4" x 031	S418

Ribbon Wound Steel Strapping
Hi-Tensile

Size	SKU
1 1/4" x 029	S419
1 1/4" x 031	S419-031

Snap on Seals

Size	SKU
1/2"	T1502-41
5/8"	T1503-51
3/4"	T1504-61




Steel Plywood Clip

Size	Count per Box	SKU
7/16"	250	315-311
19/32"	250	315-312
15/32"	250	351-410


Plywood Sheathing Clip

Replace wood blocking on roof sheathing. Tight fit for positive installation. Embossed dimples provide 1/8" gap needed to prevent panels from popping up as sheathing expands.



Electro-galvanized Metal Lath

Size	Type	SKU
1.75	Flat	916-175
1.75	Paper flat	916-176
2.5	Flat	916-250
2.5	Paper flat	916-251
3.4	Flat	916-340
1.75	Self-furring	917-175
1.75	Self-furring	917-176
2.5	Self-furring	917-250
2.5	Self-furring	917-251
3.4	Self-furring	917-340
3.4	Self-furring	917-341



Metal Lath Accessories

Type	SKU
#1 Corner Bead	917-400
#66 EF- 1/2" Casing Bead	917-401
XJ15-1/2" Expansion Joint	917-402
XJ15-3/4" Control Joint	917-403
#66 EF- 3/4" Casing Bead	917-404
#15-3/4" Dbl. V Control Jnt.	917-406
#66 EF- 7/8" Casing Bead	917-408
#50 CJ - 1/2" Control Jnt.	917-409
#66 EF- 3/8" Casing Bead	917-410

Additional Products



T - Post

Size	Weight	Finish	Description	SKU
4'	.095	Plain	T-Post w/o spade	915-010
4'	1.25	Painted green w/white tip	T-Post w/spade	915-011
5'	1.25	Painted green w/white tip	T-Post w/spade	915-040
5.5'	1.25	Painted green w/white tip	T-Post w/spade	915-060
6'	1.25	Painted green w/white tip	T-Post w/spade	915-012
6'	1.33	Painted green w/white tip	T-Post w/spade	915-014

Other sizes available.



Poly

A large selection of construction film, stretch film and trash bags in various sizes and quantities in stock.

mil Thickness	Size	Color	SKU
.031 mil High Density	12' x 400'	Clear	443-400
1 mil	12' x 400'	Clear	443-740
1.5 mil	12' x 200'	Clear	444-004
2 mil	12' x 200'	Clear	443-612
3 mil (32 ct)	42-gal bags	Black	444-510
4 mil	10' x 100'	Clear	445-300
4 mil	10' x 100'	Black	445-301
6 mil	20' x 400'	Clear	447-450

*Additional sizes and types available.

Silt Fence (Erosion Control)

Size	Type	SKU
24" x 100'	Wood Stakes Attached	914-240
36" x 100'	Wood Stakes Attached	914-220
36" x 100'	14 ga. Wire Attached Commercial Grade	914-100
36" x 100'	12.5 ga. Wire Attached D.O.T. Approved	914-200
36" x 100'	Arkansas D.O.T. approved with wood stakes/no wire	914-260
36" x 330'	70 gram Fabric Only	914-130



Orange Safety Fence

Size	Type	SKU
4' x 100'	Light Duty	913-030
4' x 100'	Heavy Duty	913-031




100# Coils of Wire

Gauge	Feet	Other	SKU
9	1,608	Galvanized	489-050
12	3,192	Galvanized	489-055
9	1,608	Black Annealed	490-050
11	3,092	Black Annealed	490-053
12	3,192	Black Annealed	490-055
16	3,316	Black Annealed	490-056




Galvanized Stone Wire

Gauge	Bundle Count	SKU
18	8 @12.5#	491-180



Nail Size Chart



Accent Building Materials provides the highlighted areas in the United States with:

- Large inventories
- Competitive prices
- Experienced sales staff
- Technical Support
- Fast delivery

Corporate Office

10131 FM 2920, Tomball, Texas 77375
Toll Free: 877-546-2457
Phone: 281-255-4881
Fax: 281-251-5519
Email: HOU@accentwire.com

West Coast Office

13856 Bettencourt St., Cerritos, CA 90703
Toll Free: 877-530-1911
Phone: 562-926-6612
Fax: 562-926-6615
Email: LA@accentwire.com

Accent Building Materials is a proud supporter of Habitat for Humanity



www.accentbuild.com

Wire Gauge Chart

Gauge	Decimal	Ft./Lb.
2	-	5.441
	1/4	5.632
	1/2	5.857
	3/4	6.096
3	-	6.313
	1/4	6.563
	1/2	6.789
	3/4	7.087

Gauge	Decimal	Ft./Lb.
4	-	7.386
	1/4	7.676
	1/2	8.035
	3/4	8.341
5	-	8.750
	1/4	9.096
	1/2	9.373
	3/4	9.759
6	-	10.17
	1/4	10.81
	1/2	10.95
	3/4	11.44

Gauge	Decimal	Ft./Lb.
7	-	11.97
	1/4	12.53
	1/2	12.97
	3/4	13.61
8	-	14.29
	1/4	14.83
	1/2	15.60
	3/4	16.23
9	-	17.05
	1/4	17.83
	1/2	18.57
	3/4	19.69

Gauge	Decimal	Ft./Lb.
10	-	20.57
	1/4	21.85
	1/2	22.88
	3/4	24.38
11	-	25.82
	1/4	27.39
	1/2	29.36
	3/4	31.55
12	-	33.69
	1/4	36.03
	1/2	38.25
	3/4	41.54